

# Dr.YSR Aarogyasri Health Care Trust

## (Govt of Andhra Pradesh)

### CIRCULAR

No. 4346/Dr.YSRAHCT/CC cameras//2020-21, Dated:23.11.2020

Sub: Dr.YSR AHCT – PMU - Implementation of the CC Camera setup at the Mithra Kiosks of all the NWHs – Reg.  
Ref: Instructions of the Hon'ble CM in the meeting held on 08.10.2020

-000-


With reference to the subject and reference cited above, as per the instructions of the Hon'ble CM to establish the surveillance systems (Closed Circuit Cameras) at reception area where the Mithra Help desk is located to monitor the functions of the Aarogya Mithras and also the patient In flow and Out flow.

In this regard, the Trust has decided to implement this CC camera Setup in all 1435 empanelled hospitals both Government and Private Network hospitals in AP and other States i.e., Hyderabad, Chennai and Bengaluru including 24\*7 PHCs of AP. Further, in coordination with the APMSIDC, the Trust has identified the vendor M/s Brihaspathi Technologies Pvt. Ltd. for this purpose. All the cameras will be monitored by the respective district Joint Collector (Health) and District Coordinator.

In view of the above, all the NWHs are requested extend your support to the technical team of M/s Brihaspathi Technologies Pvt. Ltd. and to provide the following requirements for the installation of CC cameras and for better live streaming of CC cameras to monitor the cameras at district and State level Units.

- a. **Broad band connectivity of minimum 10 MBPS or 2 MBPS in case of ILL with a Static IP** exclusively for the CC camera for live streaming and storage purpose at State/District Monitoring Unit.
- b. **Power plug points (connected to UPS)** should be provided **near by the Kiosk for uninterrupted surveillance.**
- c. Hospital Administration should support the technical team for completion of installation in a day.
- d. IT support for the Technical/Monitoring team for maintenance and technical issues further.

**Note:** 1. The District Coordinator –Aarogyasri will intimate the date of installation to the respective NWHs.  
2. The points a and b should be arranged within a week of time without fail.

  
**Chief Executive Officer**  
**Dr YSRAHCT**

**To**  
The CEOs/MDs/Superintendents/Medical Officers of all empanelled hospitals under the Trust.

**Copy to**  
The HODs - Dr YSTAHCT.  
The Peshi of the Chief Executive Officer.  
The District Coordinators of 13 districts.  
The M/s Brihaspathi Technologies Pvt. Ltd., Hyderabad.